

# SAFETY DATA SHEET

## 1. Product and Company Identification

| Product identifier  | Salt Water Magic   |  |  |
|---|--|--|--|
| Other means of identification   | Not available  |  |  |
| Recommended use   | Water cleaning compound  |  |  |
| Recommended restrictions  | None known.  |  |  |
| Manufacturer information  | NC Brands<br>40 Richards Ave.<br>Norwalk, CT 06854 US<br>Phone: (800) 753-1233<br>Emergency Phone: CHEMTREC (800) 424-9300   |  |  |
| Supplier  | See above.   |  |  |
|   | 2. Hazards Identification  |  |  |
| Physical hazards  | Not classified.  |  |  |
| Health hazards  | Serious eye damage/eye irritation Category 2A  |  |  |
| Environmental hazards   | Not classified.  |  |  |
| WHMIS 2015 defined hazards  | Not classified   |  |  |
| Label elements  |  |  |  |
| Signal word   | Warning  |  |  |
| Hazard statement  | Causes serious eye irritation.   |  |  |
| Precautionary statement   |  |  |  |
| Prevention  | Wash thoroughly after handling. Wear eye protection/face protection.   |  |  |
| Response  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |  |  |
| Storage   | Store away from incompatible materials.  |  |  |
| Disposal  | Dispose of waste and residues in accordance with local authority requirements.   |  |  |
| WHMIS 2015: Health Hazard(s)<br>not otherwise classified<br>(HHNOC)   | None known   |  |  |
| WHMIS 2015: Physical<br>Hazard(s) not otherwise<br>classified (PHNOC) | None known   |  |  |
| Hazard(s) not otherwise<br>classified (HNOC)                          | None known.  |  |  |
| Supplemental information  | Not applicable.  |  |  |
|   | 3. Composition/Information on Ingredients  |  |  |

| Mixture                  |                          |            |  |
|--------------------------|--------------------------|------------|--|
| Common name and synonyms | CAS number               | %          |  |
|                          | 20211-76-1               | 2.73       |  |
|                          | 68439-46-3               | 1.58       |  |
|                          | Common name and synonyms | 20211-76-1 |  |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

|              | 4. First Aid Measures  |
|--------------|--|
| Inhalation   | If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.   |
| Skin contact | Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.  |
| Eye contact  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |

| Ingestion  | Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.  |  |
|--|---|--|
| Most important<br>symptoms/effects, acute and<br>delayed                     | Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  |  |
| Indication of immediate<br>medical attention and special<br>treatment needed | Provide general supportive measures and treat symptomatically. Symptoms may be delayed.   |  |
| General information  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields.   |  |
|  | 5. Fire Fighting Measures   |  |
| Suitable extinguishing media   | Water fog. Foam. Dry chemical powder. Carbon dioxide.   |  |
| Unsuitable extinguishing media   | Do not use water jet as an extinguisher, as this will spread the fire.  |  |
| Specific hazards arising from the chemical                                   | During fire, gases hazardous to health may be formed.   |  |
| Special protective equipment and precautions for firefighters                | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |  |
| Fire-fighting<br>equipment/instructions                                      | Move containers from fire area if you can do so without risk.   |  |
| Specific methods   | Use standard firefighting procedures and consider the hazards of other involved materials.  |  |
| General fire hazards   | No unusual fire or explosion hazards noted.   |  |
| Hazardous combustion<br>products   | May include and are not limited to: Oxides of sulfur. Oxides of carbon. Hydrogen chloride.  |  |
|  | 6. Accidental Release Measures  |  |
| Personal precautions,<br>protective equipment and<br>emergency procedures    | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.  |  |
| Methods and materials for  | Stop the flow of material, if this is without risk.   |  |
| containment and cleaning up  | Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  |  |
|  | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  |  |
| Environmental precautions  | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.  |  |
|  | 7. Handling and Storage   |  |
| Precautions for safe handling  | Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. Avoid contact with eyes, skin and clothing.  |  |
| Conditions for safe storage, including any incompatibilities                 | Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).   |  |
|  | 8. Exposure Controls/Personal Protection  |  |
| Occupational exposure limits   | No exposure limits noted for ingredient(s).   |  |
| Biological limit values  | No biological exposure limits noted for the ingredient(s).  |  |
| Appropriate engineering controls   | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |  |
| Individual protection measures,<br>Eye/face protection                       | such as personal protective equipment<br>Wear safety glasses with side shields (or goggles).  |  |
| Skin protection<br>Hand protection   | Impervious gloves. Confirm with reputable supplier first.   |  |
|  |   |  |

| Other                             | As required by employer code.   |
|-----------------------------------|---|
| Respiratory protection            | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.<br>Respirator should be selected by and used under the direction of a trained health and safety<br>professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),<br>CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). |
| Thermal hazards                   | Not applicable.   |
| General hygiene<br>considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.   |
|                                   | 9. Physical and Chemical Properties   |
| -                                 |   |

| 10. Stability and Reactivity               |                  |  |
|--|------------------|--|
| Viscosity                                  | Not available.   |  |
| Decomposition temperature                  | Not available.   |  |
| Auto-ignition temperature                  | Not available.   |  |
| Solubility(ies)                            | Complete         |  |
| Relative density                           | 8.3 - 9.2 lb/gal |  |
| /apor density                              | Not available.   |  |
| /apor pressure                             | Not available.   |  |
| Explosive limit - upper (%)                | Not available.   |  |
| Explosive limit - lower (%)                | Not available.   |  |
| Flammability limit - upper<br>(%)          | Not available.   |  |
| Flammability limit - lower<br>(%)          | Not available.   |  |
| Jpper/lower flammability or exp            | losive limits    |  |
| Flammability (solid, gas)                  | Not applicable.  |  |
| Evaporation rate                           | Not available.   |  |
| lash point                                 | Not available.   |  |
| Partition coefficient<br>n-octanol/water)  | Not available.   |  |
| Specific gravity                           | 1 - 1.1          |  |
| Pour point                                 | Not available.   |  |
| Initial boiling point and boiling<br>range | Not available.   |  |
| Melting point/freezing point               | Not available.   |  |
| pH   | 2.1 - 2.3        |  |
| Odor threshold                             | Not available.   |  |
| Ddor                                       | Not available.   |  |
| Color                                      | Amber            |  |
| Form                                       | Liquid.          |  |
| Physical state                             | Liquid.          |  |
| Appearance                                 | Cloudy           |  |

| Reactivity                            | This product may react with strong alkalies.  |
|---------------------------------------|---|
| Possibility of hazardous<br>reactions | No dangerous reaction known under conditions of normal use.                                 |
| Chemical stability                    | Material is stable under normal conditions.   |
| Conditions to avoid                   | Do not mix with other chemicals.  |
| Incompatible materials                | Strong oxidizing agents. Alkaline materials.  |
| Hazardous decomposition<br>products   | May include and are not limited to: Oxides of sulphur. Oxides of carbon. Hydrogen chloride. |

# 11. Toxicological Information

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

May cause stomach distress, nausea or vomiting.

- Information on likely routes of exposure
  - Ingestion

| Inhalation   | No adverse effects due to inhalation are expected.                             |
|--|--|
| Skin contact   | No adverse effects due to skin contact are expected.                           |
| Eye contact  | Causes serious eye irritation.   |
| Symptoms related to the<br>physical, chemical and<br>toxicological characteristics | Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |

### Information on toxicological effects

Acute toxicity

| Components   | Species   | Test Results                 |
|--|---|------------------------------|
| Alcohols, C9-11, ethoxylated (CA   | S 68439-46-3)   |                              |
| Acute  |   |                              |
| Dermal   | Rabbit  |                              |
| LD50   | Rabbi   | > 2000 mg/kg, 24 Hours, ECHA |
|  |   | 2216 mg/kg, 24 Hours, ECHA   |
|  |   | 2000 mg/kg, 24 Hours, ECHA   |
|  | Rat   | > 5000 mg/kg, HMIRA          |
|  |   | > 2000 mg/kg, 24 Hours, ECHA |
| Inhalation   |   |                              |
| LC50   | Rat   | > 1600 mg/m3, 4 Hours, ECHA  |
|  |   | > 100 mg/m³, 6 hours, ECHA   |
|  |   | > 20 mg/L, 1 hours, Shell    |
|  |   | > 1.6 mg/L, 4 Hours, ECHA    |
| Oral   |   |                              |
| LD50   | Rat   | > 5050 mg/kg, ECHA           |
|  |   | 5130 mg/kg, ECHA             |
|  |   | 4600 mg/kg, ECHA             |
|  |   | 3488 mg/kg, ECHA             |
|  |   | 1400 mg/kg, Air products     |
|  |   | 1378 mg/kg, SAX              |
| Lanthanum Chloride (lacl3), Hydr   | rate (CAS 20211-76-1)   | 0.0                          |
| Acute  |   |                              |
| Dermal   |   |                              |
| Donnai   |   |                              |
| LD50   | Not available   |                              |
| LD50<br>Inhalation   |   |                              |
| LD50   | Not available<br>Not available  |                              |
| LD50<br>Inhalation<br>LC50<br>Oral   | Not available   |                              |
| LD50<br>Inhalation<br>LC50   |   | 4184 mg/kg, Sigma Aldrich    |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50   | Not available   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value  | Not available<br>Rat<br>Prolonged skin contact may cause tempor   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Not available.   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Not available.<br>Causes serious eye irritation.   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye<br>rritation<br>Corneal opacity value<br>Iris lesion value   | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Causes serious eye irritation.<br>Not available.<br>Not available.<br>Not available.   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye<br>rritation<br>Corneal opacity value  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Not available.<br>Causes serious eye irritation.   |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye<br>irritation<br>Corneal opacity value<br>Iris lesion value<br>Conjunctival reddening  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Causes serious eye irritation.<br>Not available.<br>Not available.<br>Not available.<br>Not available.                                     |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye<br>irritation<br>Corneal opacity value<br>Iris lesion value<br>Conjunctival reddening<br>value   | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Causes serious eye irritation.<br>Not available.<br>Not available.<br>Not available.<br>Not available.                                     |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Oedema value<br>Serious eye damage/eye<br>irritation<br>Corneal opacity value<br>Iris lesion value<br>Iris lesion value<br>Conjunctival reddening<br>value<br>Conjunctival oedema value<br>Recover days | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Causes serious eye irritation.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available. |                              |
| LD50<br>Inhalation<br>LC50<br>Oral<br>LD50<br>Skin corrosion/irritation<br>Exposure minutes<br>Erythema value<br>Oedema value<br>Serious eye damage/eye<br>irritation<br>Corneal opacity value<br>Iris lesion value<br>Conjunctival reddening<br>value<br>Conjunctival oedema value  | Not available<br>Rat<br>Prolonged skin contact may cause tempor<br>Not available.<br>Not available.<br>Causes serious eye irritation.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available. | ary irritation.              |

| Mutagenicity  | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.   |   |   |
|---|--|---|---|
| Carcinogenicity   | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.  |   |   |
| Canada - Manitoba OELs: c                                       | arcinogenicity   |   |   |
| SUCROSE (CAS 57-50-   |  | t classifiable as a hum<br>001-1050)  | an carcinogen.  |
| Reproductive toxicity   | This product is not expected to cau  | use reproductive or dev   | velopmental effects.  |
| Teratogenicity  | Not classified.  |   |   |
| Specific target organ toxicity - single exposure                | Not classified.  |   |   |
| Specific target organ toxicity - repeated exposure              | Not classified.  |   |   |
| Aspiration hazard   | Not classified.  |   |   |
| Chronic effects   | Not classified.  |   |   |
|   | 12. Ecological li  | nformation  |   |
| Ecotoxicity   | See below  |   |   |
| Ecotoxicological data   | Species  |   | Test Results  |
| Components<br>Alcohols, C9-11, ethoxylated (CAS                 | •  |   | Test Results  |
| Fish  | Rainbow Trout  |   | 70.7 mg/L, 96 Hours   |
| <b>Aquatic</b><br>Crustacea                                     | EC50 Water flea (Daphni  | a magna)  | 2.9 - 8.5 mg/L, 48 hours  |
| Fish  | LC50 Fathead minnow (F   | Pimephales promelas)  | 6 - 12 mg/L, 96 hours   |
| Persistence and degradability                                   | No data is available on the degrad   | ability of this product.  | -   |
| Bioaccumulative potential                                       | No data available.   | , i   |   |
| Mobility in soil  | No data available.   |   |   |
| Mobility in general   | Not available.   |   |   |
| Other adverse effects   | No other adverse environmental ef potential, endocrine disruption, glo   | Not available.<br>No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |   |
|   | 13. Disposal Con   | siderations   |   |
| Disposal instructions   | Collect and reclaim or dispose in s contents/container in accordance v   |   | ensed waste disposal site. Dispose of<br>onal/international regulations.              |
| Local disposal regulations                                      | Dispose in accordance with all app   | licable regulations.  |   |
| Hazardous waste code  | The waste code should be assigne<br>disposal company.  | The waste code should be assigned in discussion between the user, the producer and the waste  |   |
| Waste from residues / unused products                           | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |   |   |
| Contaminated packaging  |  |   | handling site for recycling or disposal.<br>ow label warnings even after container is |
|   | 14. Transport Ir   | nformation  |   |
| Transport of Dangerous Goods                                    |  |   | nsportation of Dangerous Goods  |
| (TDG) Proof of Classification                                   | Regulations, we certify that the cla   |   | act is correct as of the SDS date of issue.   |
| U.S. Department of Transportat<br>Not regulated as dangerous of |  |   |   |
| Transportation of Dangerous G                                   |  |   |   |
| Not regulated as dangerous g                                    |  |   |   |
|   | 15. Regulatory I   | nformation  |   |
| Canadian federal regulations                                    | This product has been classified in contains all the information require   |   | nazard criteria of the HPR and the SDS  |
| Export Control List (CEPA<br>Not listed.                        |  |   |   |
|   |  |   |   |

| Greenhouse Gases   |   |  |
|--|---|--|
| Not listed.<br>Precursor Control Regulatio                                   | ns  |  |
| Not regulated.   |   |  |
| WHMIS 2015 Exemptions  | Not applicable  |  |
| US federal regulations   | This product is a "Hazardous<br>Standard, 29 CFR 1910.1200.                               | Chemical" as defined by the OSHA Hazard Communication              |
| TSCA Section 12(b) Export N<br>Not regulated.                                | lotification (40 CFR 707, Subp  | ot. D)   |
| CERCLA Hazardous Substa  | nce List (40 CFR 302.4)   |  |
| Diethylene glycol monoeth  |   | Listed.<br>10.1001-1050)   |
| Superfund Amendments and Rea   | authorization Act of 1986 (SA)  |  |
| Hazard categories  | Immediate Hazard - Yes  |  |
|  | Delayed Hazard - No<br>Fire Hazard - No<br>Pressure Hazard - No<br>Reactivity Hazard - No |  |
| SARA 302 Extremely<br>hazardous substance                                    | No  |  |
| SARA 311/312 Hazardous<br>chemical   | No  |  |
| SARA 313 (TRI reporting)<br>Not regulated.                                   |   |  |
| Other federal regulations  |   |  |
| -  | 112 Hazardous Air Pollutants  | (HAPs) List  |
| Diethylene glycol monoeth  |   |  |
|  | 112(r) Accidental Release Pre   | evention (40 CFR 68.130)   |
| Not regulated.   | Hazardous substance   |  |
| Clean Water Act (CWA)<br>Section 112(r) (40 CFR<br>68.130)                   |   |  |
| US state regulations   |   |  |
| US - Illinois Chemical Safety  | Act: Listed substance   |  |
| Diethylene glycol monoeth<br>US - Louisiana Spill Reportir                   | , , , , , , , , , , , , , , , , , , ,   |  |
| Diethylene glycol monoeth<br>US - Minnesota Haz Subs: Li                     | nyl ether (CAS 111-90-0)  | Listed.  |
| alpha-D-Glucopyranoside<br>57-50-1)  | , beta-D-fructofuranosyl (CAS   | Listed.  |
| Diethylene glycol monoeth<br>US - New Jersey RTK - Subs                      |   | Listed.  |
| Diethylene glycol monoeth<br>US - Texas Effects Screening                    |   |  |
| Alcohols, C9-11, ethoxyla  |   | Listed.  |
| alpha-D-Glucopyranoside<br>57-50-1)  | , beta-D-fructofuranosyl (CAS   | Listed.  |
| Diethylene glycol monoeth<br>US. Massachusetts RTK - Su                      |   | Listed.  |
|  | , beta-D-fructofuranosyl (CAS 5<br>Community Right-to-Know A                              |  |
| Diethylene glycol monoeth<br>US. Pennsylvania Worker an                      | nyl ether (CAS 111-90-0)<br>d Community Right-to-Know                                     | Law  |
| alpha-D-Glucopyranoside<br>Diethylene glycol monoeth<br>US. Rhode Island RTK | , beta-D-fructofuranosyl (CAS 5<br>nyl ether (CAS 111-90-0)                               | 7-50-1)  |
|  | , beta-D-fructofuranosyl (CAS 5   | 7-50-1)  |
| US. California Proposition 6   | 2 .   | ,  |
| -  | later and Taxia Enforcement A   | t of 1000 (Dropposition CE); This motorial is not known to contain |

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### Inventory status

#### Country(s) or region Canada Canada

#### Inventory name

Domestic Substances List (DSL)

No

Yes

Non-Domestic Substances List (NDSL)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) 16. Other Information

| LEGEND                                  | HEALTH / 1   |
|---|--|
| Severe4Serious3Moderate2Slight1Minimal0 | FLAMMABILITY 0   PHYSICAL HAZARD 0   PERSONAL X  |
| Disclaimer                              | The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. |
| Issue date                              | 03-August-2017   |
| Version #                               | 01   |
| Effective date                          | 03-August-2017   |
| Prepared by                             | Dell Tech Laboratories, Ltd. Phone: (519) 858-5021   |

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.